## California Environmental Protection Agency

# Air Resources Board

## **PROPOSED**

**Vapor Recovery Test Procedure** 

TP - 201.2D

Post-Fueling Drips From Nozzle Spouts

Adopted: February 1, 2001

Amended:\_

# California Environmental Protection Agency Air Resources Board

## **Vapor Recovery Test Procedure**

## **PROPOSED**

TP-201.2D

## **Post-Fueling Drips from Nozzle Spouts**

A set of definitions common to all Certification and Test Procedures is in:

#### **D-200 Definitions for Vapor Recovery Procedures**

For the purpose of this procedure, the term "CARB" refers to the California Air Resources Board, and the term "Executive Officer" refers to the CARB Executive Officer, or his or her authorized representative or designate.

#### 1. PURPOSE AND APPLICABILITY

1.1 The purpose of this procedure is to quantify liquid gasoline drips from nozzles following refueling events. It is applicable, during the certification process, for determining compliance with the performance standard for the maximum allowable number of liquid gasoline drips as defined in the Certification Procedure (CP-201).

#### 2. PRINCIPLE AND SUMMARY OF TEST PROCEDURE

- 2.1 The vapor recovery nozzles and associated hanging hardware are inspected and verified to be in good working order, as specified in CCR, title 17, section 94006, including the requirement that the nozzle's primary shutoff mechanism is in good working order, if applicable.
- 2.2 The vapor recovery nozzle is used to dispense gasoline into a vehicle fuel tank. Upon activation of the nozzle's primary shutoff mechanism, five (5) ten (10) seconds are allowed to elapse prior to removal of the nozzle from the vehicle fillpipe. The leverl of the nozzles should also be released before removing the nozzle from the fill-pipe. The nozzle spout is held horizontally then inverted and the number of drips of liquid gasoline are quantified for a period of five (5) seconds.

**2.3** Compliance with the performance standards specified in CP-201 shall be determined using the combined average result of the tenall test runs for all the each nozzles tested. A minimum of ten nozzles shall be tested for certification.

#### 3. BIASES AND INTERFERENCES

- 3.1 Nozzle orientation during refueling can affect the response time of the primary shutoff mechanism. To eliminate this bias, the nozzle shall be inserted into each vehicle fillpipe in the same orientation, as specified in Section 7. The upper portion of the spout of the nozzle should be horizontal or pointing downward into the fill-pipe.
- 3.2 <u>If applicable</u>, <u>Nn</u>ozzles or associated components that have defects pursuant to title 17, CCR, section 94006 may bias the test toward non-compliance. Do not conduct this test during the certification process if the nozzle, or any associated component is defective contains a defect.
- 3.3 Spitback may bias the results of the test procedure toward noncompliance. During the certification process, spitback occurrences shall be noted on the Field Data Sheet (Form 1). If spitback is Results attributable to vehicle fillpipes that do not meet the requirements of title 13, CCR, section 2235, the test results for that run shall not be included.

#### 4. SENSITIVITY, RANGE, AND PRECISION

- **4.1** The procedure is capable of determining spills as small as one drop per refueling event.
- **4.2** The sensitivity of the procedure is 1 drip/refueling event\_<u>and\_frages from</u> ± 1 drip/refueling event\_to 1 ml/refueling event, depending on the amount of liquid measured.
- **4.3** For the purpose of the test procedure, a refueling event shall consist of any vehicle refueling event of at least 4.5 gallons, terminated by activation of the nozzle's primary shutoff mechanism.

#### 5. EQUIPMENT

- **5.1** Field Data Sheet. Use a Field Data Sheet, such as Form 1, to record the number of drips from each acceptable refueling event, as defined in Section 4.3.
- 5.2Stopwatch. Use a stopwatch, equipped with a split-timing function, accurate to within 0.2 seconds to determine the dispensing rate. The split function shall be used to determine the 10 second specification in Section 7.6 of the procedure. Two stopwatches may be used instead of using a split-timing function.

#### 6. PRE-TEST PROCEDURES


**6.1** <u>If applicable, linspect the vapor recovery nozzles and associated hanging hardware</u>

and verify that all components are in good working order, as specified in title 17, CCR, section 94006, including the requirement that the nozzle's shutoff mechanism is in good working order.

#### 7. TEST PROCEDURE

- **7.1** Assign, and record on the Field Data Sheet, a Survey ID # to each vehicle included in the test.
- **7.2** The tester shall select a vehicle for the test by choosing the next vehicle that appears, for which the refueling event is about to begin.
  - 7.2.1 The tester should introduce themselves to the customer and ask if the refueling event is to be a fillup. If the answer is no, the tester shall select the next potential test vehicle.
  - 7.2.2 If the customer acknowledges that they want a fillup, the tester should ask <u>for permission</u> to refuel the vehicle, explaining the purpose and details of the test.
- 7.3 Properly insert the nozzle spout into the vehicle fillpipe, with the nozzle handle pointed downward in the 12:00 o'clock orientation for side fill vehicles and as close to a 12:00 o'clock orientation as technically feasible for rear fill vehicles. See Figure 1 for nozzle orientations. The upper portion of the spout of the nozzle shall be horizontal or pointing downward into the fill-pipe.

# Figure 1 Nozzle Orientations



12 O'clock Nozzle Orientation, Handle Pointing Down



6 O'clock Nozzle Orientation, Handle Pointing Up

- **7.4** Begin dispensing with the nozzle trigger in the hand-held, wide open position to achieve the maximum dispensing rate. Set the nozzle on high clip. Start the stopwatch when dispensing begins.
- 7.5 Upon activation of the nozzle's primary shutoff mechanism, stop the timing for dispensing rate determination and start the stopwatch used to determine the 540 second\_specification in Section 7.6. The lever of the nozzles should also be released before removing the nozzle from the fill-pipe. Record the gallons dispensed, the time required for the refueling event, and note if spitback occurred.
- **7.6** Using a stopwatch, wait for <u>five (5)</u> ten (10) seconds before removing the nozzle from the vehicle fillpipe.
  - 7.6.1 After five seconds, carefully remove the nozzle, keeping the spout pointing downward until the spout tip exits the fillpipe. Immediately tilt the nozzle such that the spout is vertical, pointing upward.
  - 7.6.2 Pointing the nozzle away from the vehicle and customer, tilt the nozzle downward until the spout is horizontal to the ground vertical, pointing downward. Holding the nozzle as still as possible, count the number of drops of liquid gasoline that spill from the nozzle for five seconds, starting with the initial downupward tilting after removal from the vehicle through having the nozzle in an invertedhorizontal position. Record this quantity on the Field Data Sheet along with the number of gallons dispensed and the refueling time, in seconds. For the purpose of this measurement, a drip shall consist of a maximum volume of 1/4520 of a milliliter.
- **7.7** Conduct ten test runs, pursuant to Sections 7.1 through 7.6, on each of the applicable nozzles installed at the test site.

#### 8. POST-TEST PROCEDURES

**8.1** Calculate the <u>arithmetic</u> average of the number of drops of liquid gasoline from each of the refueling events included in the test, on both a per nozzle and total nozzle basis. Record thisese averages to the nearest tenth of a drop on the Field Data Sheet.

#### 9. CALCULATING RESULTS

**9.1** Calculate the dispensing rate for each refueling event as follows:

$$Q_d = \left(\frac{(G_d)(60)}{t_d}\right)$$
 Equation 9-1

Where:

Q<sub>d</sub> = Dispensing rate, gallons/minute

G<sub>d</sub> = Quantity of gasoline dispensed during the refueling event, gallons

t<sub>d</sub> = Time to dispense G<sub>d</sub> gallons, seconds

60 = Conversion factor from seconds to minutes

**9.2** Calculate the arithmetic average <u>number of drops</u> for both each nozzle and all nozzles of the number of drops for each refueling event as follows:

$$N_{drips} = \sum_{i=1}^{n} \left( \frac{D_t}{n} \right)$$

Equation 9-2

Where:

N<sub>drips</sub> = Average number of drips for all refueling events, drops/refueling event

D<sub>t</sub> = Total of all drops from all refueling events, drops

n = Number of refueling events during test

#### 10. REPORTING RESULTS

**10.1** Report the following information for post-fueling drips: The results of the quantification of the number of drops per refueling event shall include:

10.1.1 All data shown in the Field Data Sheet.

10.1.2The average number of drops for each nozzle tested, expressed to the nearest tenth of a drop.

10.1.3 10.1.2 The combined average number of drops for all nozzles tested, expressed to the nearest tenth of a drop.

#### 11. ALTERNATE PROCEDURES

**11.1** This procedure shall be conducted as specified. Modifications to this test procedure shall not be used to determine compliance unless prior written approval has been obtained from the ARB Executive Officer, pursuant to Section 14 of Certification Procedure CP-201.

# Form 1 Field Data Sheet POST – FUELING DRIPS

Facility:	Test Date:		Tester(s):
Address:		Phase II Equipment Type:	

	Т	1			T		1	<u> </u>	
Survey ID #									
Vehicle Information									
Year									
Make									
Model									
Refueling Information									
Nozzle Number									
Gasoline Grade									
Time Start									
Nozzle Position									
[1 - 12 O'clock]									
Gallons Pumped									
Fueling Time, seconds									
Dispensing Rate,									
gpm									
Spitback,									
Yes or No									
NOZZLE DRIP DATA									
# of Post-Fueling Drops									
TOTAL DROPS									
Comments									

Nozzle Number	Number of Test Runs	Total Number of Post-Fueling Drips	Average Number of Post-Fueling Drips
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
TOTALS			